

Post Sale Summary

Date: 11/10/2023



AWN

RURAL PTY LTD

ABN: 89 087 044 817

GATE 2,DENNISTOUN AVENUE (PO BOX 266)

GUILDFORD, NSW 2161

PHONE: 02 9912 6221

FAX: 02 9632 8750

Trading Name :	Sale Date From :	Sale Date To :	Branch :
Season :	Sale No. :	Grower : 100279	

Farm Lot in Sale

Group	Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	CLN Price	GSY Price	Procs \$	Buyer	Mulesing
PMC 100279 AS/ESSINGTON	A3733441	2109	S02	18	6	AAAM	18.3	0.1	76.2	69	18	37	0	48	52	64	MF5E.M	1006	2,311	1,761	\$17,715.66	AMEM	ND
PMC 100279 AS/ESSINGTON	A3733446	2551	S18	17	1	MBKN	17.5	0.8	61.6	53	21	0	0	0	0	0	MWP5S.	182	1,916	1,180	\$2,147.60	AMEM	ND
PMC 100279 AS/ESSINGTON	A3869362	2114	S02	18	8	AAAM	18.0	0.5	70.8	88	16	38	35	63	2	71	MF5S.M	1389	2,333	1,652	\$22,946.28	AMEM	PR
PMC 100279 AS/ESSINGTON	A3869363	2115	S02	18	3	AAM	18.2	0.6	70.0	88	11	32	23	74	3	69	MF5S.H1	509	2,321	1,625	\$8,271.25	AMEM	ND
PMC 100279 AS/ESSINGTON	A3914428	2119	S02	18	5	AAAAM	16.8	0.4	72.6	68	16	52	35	32	33	70	MWF5E.H1	897	2,740	1,989	\$17,841.33	AMEM	ND
PMC 100279 AS/ESSINGTON	A4031690	2509	S02	18	8	MBKN	18.8	0.9	56.5	87	20	38	35	50	15	73	MP5S.H1	1332	2,159	1,220	\$16,250.40	AMEM	
PMC 100279 AS/ESSINGTON	A4031692	2535	S01	18	2	MCRT	19.0	0.7	61.8	0	0	0	0	0	0	0	MC4S.S1	302	1,796	1,110	\$3,352.20	AMEM	
PMC 100279 AS/ESSINGTON	A4285952	2189	S38	20	3	AAMWNS	16.1	0.6	61.6	58	18	50	31	64	5	59	MWF5E.H1	455	2,244	1,382	\$6,288.10	AMEM	
PMC 100279 AS/ESSINGTON	A4199351	2168	S02	21	7	AAAAM	19.5	0.3	67.8	115	14	27	8	67	25	82	MF5E.H2	1249	1,594	1,081	\$13,501.69	AMEM	
PMC 100279 AS/ESSINGTON	A4767884	2603	S02	22	2	MBLS	19.2	0.7	55.0	0	0	0	0	0	0	0	MB5S.60H2C1	310	1,455	800	\$2,480.00	AMEM	AA
PMC 100279 AS/ESSINGTON	A4871461	2537	S51	21	5	MBKN	18.5	1.7	65.1	80	14	37	38	44	18	72	MP5S.H1	881	1,805	1,175	\$10,351.75	AMEM	AA
PMC 100279 AS/ESSINGTON	A4199352	2170	S02	21	7	AAAAM	19.2	0.3	67.2	110	16	26	11	75	14	77	MF5E.H1	1258	1,692	1,137	\$14,303.46	AMEM	
PMC 100279 AS/ESSINGTON	A4379139	2173	S02	21	8	AAAAM	19.3	0.4	67.2	116	16	33	8	68	24	83	MF5E.H1	1417	1,661	1,116	\$15,813.72	AMEM	PR
PMC 100279 AS/ESSINGTON	A4095567	2183	S38	20	7	AAAAMLMS	16.1	0.7	67.7	65	12	44	20	47	33	64	MWF5S.H1	1288	2,301	1,558	\$20,067.04	AMEM	ND
PMC 100279 AS/ESSINGTON	A4996591	2564	S40	22	2	MBLS	18.1	0.7	65.6	0	0	0	0	0	0	0	MB5S.70H2	388	1,410	925	\$3,589.00	AMEM	AA
PMC 100279 AS/ESSINGTON	A4577821	2541	S02	21	2	MPCS	18.8	0.4	51.0	0	0	0	0	0	0	0	MP6S.60H1C1S1Q1	367	980	500	\$1,835.00	AMEM	
PMC 100279 AS/ESSINGTON	A4577819	2541	S13	21	4	MBLS	19.1	0.7	52.7	0	0	0	0	0	0	0	MB5S.70H2	721	1,440	759	\$5,472.39	AMEM	
PMC 100279 AS/ESSINGTON	A4095568	2565	S02	18	1	AAMLMS	15.1	0.6	65.7	47	17	0	0	0	0	0	MLF5S.	143	2,283	1,500	\$2,145.00	EWES	ND
PMC 100279 AS/ESSINGTON	A4285953	2556	S38	20	2	MWNPCS	16.1	2.2	50.4	62	18	38	26	51	23	58	MWP5S.H2	263	2,099	1,058	\$2,782.54	EWES	
PMC 100279 AS/ESSINGTON	A4285951	2188	S38	20	6	AAAMWNS	16.7	0.3	64.1	65	13	64	24	73	3	69	MWF5E.H1	1000	2,140	1,372	\$13,720.00	EWES	
PMC 100279 AS/ESSINGTON	A4996592	2565	S40	22	4	STNMPCS	18.0	0.5	63.3	0	0	0	0	0	0	0	MC5S.S2	777	1,043	660	\$5,128.20	EWES	AA
PMC 100279 AS/ESSINGTON	A4474406	2159	S51	21	4	AAAM	15.7	1.6	69.6	57	16	49	13	62	25	58	MWF5S.M	684	2,569	1,788	\$12,229.92	EWES	PR
PMC 100279 AS/ESSINGTON	A4692734	2534	S51	21	3	MBKN	18.2	1.5	67.3	69	20	35	30	43	27	63	MP5S.H2	492	1,843	1,240	\$6,100.80	EWES	AA
PMC 100279 AS/ESSINGTON	A4692737	2536	S51	21	2	MPCS	17.8	2.2	56.9	0	0	0	0	0	0	0	MC6S.S2	258	1,160	660	\$1,702.80	EWES	AA
PMC 100279 AS/ESSINGTON	A4996580	2183	S40	22	7	AAAAM	20.2	0.2	78.9	110	16	39	2	29	69	90	MF5E.	1320	1,496	1,180	\$15,576.00	EWES	AA
PMC 100279 AS/ESSINGTON	A4996585	2186	S40	22	10	AAAM	19.3	0.2	78.3	112	13	22	2	44	54	82	MF5E.	1903	1,575	1,233	\$23,463.99	EWES	AA
PMC 100279 AS/ESSINGTON	A4692729	2167	S13	21	11	AAAAM	18.9	0.5	76.7	78	14	48	22	69	9	72	MWF5S.	1932	1,677	1,286	\$24,845.52	EWES	AA
PMC 100279 AS/ESSINGTON	A4334926	2161	S13	21	8	AAAAM	18.9	0.3	70.4	92	14	43	2	23	75	84	MF5S.M	1482	1,686	1,187	\$17,591.34	EWES	PR
PMC 100279 AS/ESSINGTON	A4997586	2566	S40	22	2	MLKS	17.5	1.0	64.0	0	0	0	0	0	0	0	MZ5S.S1	381	842	539	\$2,053.59	FFTM	AA
PMC 100279 AS/ESSINGTON	A3914430	2553	S18	17	2	MPCS	16.4	1.2	64.7	62	20	42	47	31	22	61	MWP5S.H2J1	368	2,226	1,440	\$5,299.20	FOXN	ND
PMC 100279 AS/ESSINGTON	A4031685	2160	S01	18	6	AAAAM	20.3	0.1	76.5	110	12	46	40	39	21	92	MF4E.M	1036	2,252	1,723	\$17,850.28	FOXN	
PMC 100279 AS/ESSINGTON	A3869364	2552	S18	17	2	MBKN	17.3	2.0	57.2	72	19	30	15	81	4	55	MP5S.H1	305	2,098	1,200	\$3,660.00	FOXN	ND
PMC 100279 AS/ESSINGTON	A4379148	2555	S38	20	3	MLKS	17.7	0.8	48.5	0	0	0	0	0	0	0	MZ5S.	499	1,045	507	\$2,529.93	FOXN	PR
PMC 100279 AS/ESSINGTON	A4578846	2542	S02	21	2	MCRT	19.4	1.0	60.0	0	0	0	0	0	0	0	MC5S.S1	337	985	591	\$1,991.67	FOXN	ND
PMC 100279 AS/ESSINGTON	A4334928	2536	S02	21	2	MBKN	17.7	1.0	54.5	76	20	31	15	78	7	60	MP5S.H1	347	2,077	1,132	\$3,928.04	FOXN	PR
PMC 100279 AS/ESSINGTON	A4871457	2252	S02	22	5	AAAM	18.6	0.3	72.8	82	9	53	22	48	30	81	MF5E.H1	896	1,841	1,340	\$12,006.40	FOXN	AA
PMC 100279 AS/ESSINGTON	A4379142	2157	S51	21	5	AAAAM	17.8	0.1	59.2	72	11	42	0	61	39	68	MF5E.M	949	2,331	1,380	\$13><		

PMC 100279 AS/ESSINGTON	A4199360	2554	S38	20	3	MLKS	17.7	1.0	51.6	0	0	0	0	0	0	0	MZ5S.S1	527	1,091	563	\$2,967.01	MCHA	
PMC 100279 AS/ESSINGTON	A4577820	2557	S38	20	3	MLKS	17.9	1.1	52.8	0	0	0	0	0	0	0	MZ5S.	458	1,030	544	\$2,491.52	MCHA	
PMC 100279 AS/ESSINGTON	A4031691	2534	S01	18	4	MBLS	19.3	1.9	52.7	0	0	0	0	0	0	0	MB5S.80H2	695	1,935	1,020	\$7,089.00	MODM	
PMC 100279 AS/ESSINGTON	A4199359	2561	S22	20	3	MBLS	18.7	1.6	51.5	0	0	0	0	0	0	0	MB5S.70H1	532	1,280	659	\$3,505.88	MODM	
PMC 100279 AS/ESSINGTON	A4199357	2560	S22	20	3	MPCS	18.1	0.8	53.9	87	21	27	17	79	4	63	MP5S.H1	549	1,364	735	\$4,035.15	MODM	PR
PMC 100279 AS/ESSINGTON	A4379145	2562	S22	20	4	MPCS	17.7	1.5	51.0	89	23	24	10	65	25	63	MP5S.H1	665	1,412	720	\$4,788.00	MODM	PR
PMC 100279 AS/ESSINGTON	A4379147	2538	S02	21	2	MBLS	18.6	2.9	46.4	0	0	0	0	0	0	0	MB5S.80H1	382	1,655	768	\$2,933.76	MODM	PR
PMC 100279 AS/ESSINGTON	A4767883	2602	S02	22	5	MBKN	18.7	0.3	65.3	94	23	33	27	34	39	75	MP5S.H1	898	1,637	1,069	\$9,599.62	MODM	AA
PMC 100279 AS/ESSINGTON	A4871464	2540	S51	21	3	MBLS	18.7	1.9	59.3	0	0	0	0	0	0	0	MB5S.60H2	448	1,654	981	\$4,394.88	MODM	AA
PMC 100279 AS/ESSINGTON	A3652135	2187	S18	17	7	AAAAM	16.7	1.0	73.6	75	14	39	56	36	8	68	MWF4S.H1	1263	2,474	1,821	\$22,999.23	NASS	ND
PMC 100279 AS/ESSINGTON	A3733439	2112	S02	18	8	AAAAM	18.9	0.3	76.7	105	13	31	2	13	85	86	MF5E.M	1454	2,262	1,735	\$25,226.90	PMWF	ND
PMC 100279 AS/ESSINGTON	A4031681	2156	S01	18	9	AAAAM	19.7	0.2	72.3	95	12	50	59	30	11	88	MF4E.M	1589	2,250	1,627	\$25,853.03	PMWF	
PMC 100279 AS/ESSINGTON	A4379137	2172	S02	21	7	AAAAM	18.7	0.4	66.7	118	13	38	5	90	5	83	MF5E.H1	1250	1,856	1,238	\$15,475.00	PMWF	PR
PMC 100279 AS/ESSINGTON	A4379141	2174	S02	21	1	AAAM	18.1	0.1	68.1	107	10	29	5	64	31	78	MF5E.H1	153	2,053	1,398	\$2,138.94	PMWF	PR
PMC 100279 AS/ESSINGTON	A4031682	2157	S01	18	8	AAAAM	20.0	0.1	74.2	114	13	41	24	69	7	87	MF4E.M	1458	2,240	1,662	\$24,231.96	SETS	
PMC 100279 AS/ESSINGTON	A4031686	2161	S01	18	4	AAAAM	20.5	0.1	75.1	114	14	47	40	46	14	93	MF4E.M	761	2,248	1,688	\$12,845.68	SETS	
PMC 100279 AS/ESSINGTON	A3562681	2114	S02	17	3	AAAM	18.8	0.6	75.2	91	17	35	3	13	84	80	MF5S.S2	551	1,862	1,400	\$7,714.00	SETS	PR
PMC 100279 AS/ESSINGTON	A3500543	2157	S08	17	7	AAAAM	19.8	0.5	75.3	95	10	52	8	58	34	85	MF4S.H1	1207	1,707	1,285	\$15,509.95	SETS	ND
PMC 100279 AS/ESSINGTON	A4334925	2171	S02	21	6	AAAAM	19.8	0.3	69.4	91	14	49	11	86	3	77	MF5E.	1108	1,509	1,047	\$11,600.76	SMAM	PR
PMC 100279 AS/ESSINGTON	A4199350	2167	S02	21	5	AAAAM	19.4	0.2	70.9	100	21	36	2	75	23	75	MF5E.H1	878	1,635	1,159	\$10,176.02	SMAM	
PMC 100279 AS/ESSINGTON	A4577817	2162	S51	21	2	AAAM	19.2	0.1	71.3	87	11	58	62	23	15	87	MF5E.N2	323	1,680	1,198	\$3,869.54	SMAM	
PMC 100279 AS/ESSINGTON	A4692735	2535	S51	21	2	MBKN	16.7	1.1	73.1	83	14	36	61	34	5	71	MWP5S.H2	345	2,093	1,530	\$5,278.50	SMAM	AA
PMC 100279 AS/ESSINGTON	A4871458	2253	S02	22	4	AAM	18.1	1.2	73.7	77	14	44	7	74	19	69	MF5S.N1	723	1,832	1,350	\$9,760.50	SMAM	AA
PMC 100279 AS/ESSINGTON	A3652134	2159	S08	17	6	AAAAM	19.7	0.3	72.4	82	12	42	65	35	0	79	MF4E.H1	1151	1,740	1,260	\$14,502.60	TECM	ND
PMC 100279 AS/ESSINGTON	A3733438	2156	S08	17	9	AAAAM	19.0	0.1	76.9	95	10	38	2	6	92	86	MF4E.	1558	1,887	1,451	\$22,606.58	TECM	ND
PMC 100279 AS/ESSINGTON	A4199358	2553	S38	20	3	MPCS	17.0	1.3	54.6	60	16	40	10	76	14	56	MP6S.H2	494	1,714	936	\$4,623.84	TECM	PR
PMC 100279 AS/ESSINGTON	A4179470	2185	S38	20	7	AAAAM	19.4	0.5	70.0	92	12	39	0	89	11	73	MF5E.M	1228	1,489	1,042	\$12,795.76	TECM	
PMC 100279 AS/ESSINGTON	A4179471	2186	S38	20	1	AAAM	18.8	0.3	70.6	96	14	29	6	62	32	73	MF5E.M	174	1,620	1,144	\$1,990.56	TECM	
PMC 100279 AS/ESSINGTON	A4767879	2182	S40	22	10	AAAAM	20.2	0.4	75.9	111	16	33	43	24	33	89	MF5E.H1	1951	1,449	1,100	\$21,461.00	TECM	AA
PMC 100279 AS/ESSINGTON	A4334929	2557	S22	20	2	MBLS	18.3	1.9	53.8	0	0	0	0	0	0	0	MB5B.70H1	314	1,335	718	\$2,254.52	TECM	PR
PMC 100279 AS/ESSINGTON	A4379144	2200	S22	20	1	AAAM	17.3	0.3	60.9	73	13	23	5	53	42	61	MF5E.M	192	1,693	1,031	\$1,979.52	TECM	PR
PMC 100279 AS/ESSINGTON	A4871455	2135	S52	22	8	AAAM	19.4	0.4	75.1	80	11	50	19	70	11	75	MF5E.H1	1549	1,391	1,045	\$16,187.05	TECM	AA
PMC 100279 AS/ESSINGTON	A4871456	2136	S52	22	13	AAAM	19.1	0.2	74.0	82	11	55	30	38	32	83	MF5E.H1	2374	1,426	1,055	\$25,045.70	TECM	AA
PMC 100279 AS/ESSINGTON	A4179469	2184	S38	20	6	AAAAM	18.5	0.3	74.8	94	13	37	3	49	48	78	MF5E.	1179	1,678	1,255	\$14,796.45	TECM	
PMC 100279 AS/ESSINGTON	A4692732	2169	S13	21	3	AAAM	18.3	0.4	76.9	75	15	24	13	83	4	59	MF5S.	489	1,870	1,438	\$7,031.82	TECM	AA
PMC 100279 AS/ESSINGTON	A4577815	2166	S13	21	12	AAAM	19.3	0.2	71.3	108	18	20	74	24	2	81	MF5S.M	2119	1,515	1,080	\$22,885.20	TECM	
PMC 100279 AS/ESSINGTON	A3733442	2110	S02	18	3	AAAM	17.3	0.3	72.4	67	14	43	18	75	7	62	MF5E.M	540	2,623	1,899	\$10,254.60	TIAM	ND
PMC 100279 AS/ESSINGTON	A3652136	2112	S02	17	10	AAAAM	18.5	0.5	71.3	84	12	37	76	22	2	77	MF5S.H1	1805	2,049	1,461	\$26,371.05	TIAM	
PMC 100279 AS/ESSINGTON	A3914429	2188	S18	17	1	AAAM	16.4	0.4	70.5	61	14	43	12	27	61	64	MWF5E.H2	191	2,313	1,631	\$3,115.21	TIAM	ND
PMC 100279 AS/ESSINGTON	A4031694	2537	S01	18	3	MSTNCRT	20.8	0.3	55.4	0	0	0	0	0	0	0	MC4S.S2	505	1,596	884	\$4,464.20	TIAM	
PMC 100279 AS/ESSINGTON	A4996584	2185	S40	22	4	AAAM	19.1	0.2	76.6	104	22	29	12	14	74	82	MF5E.H1	767	1,499	1,148	\$8,805.16	TIAM	AA
PMC 100279 AS/ESSINGTON	A4546266	2201	S22	20	8	AAAM	18.4	0.4	65.5	104	14	22	5	75	20	72	MF5E.F1	1453	1,414	926	\$13,454.78	TIAM	AA
PMC 100279 AS/ESSINGTON	A4199356	2198	S22	20	4	AAAM	19.0	0.2	68.6	108	18	20	5	92	3	70	MF5E.M	658	1,315	902	\$5,935.16	TIAM	
PMC 100279 AS/ESSINGTON	A4199353	2197	S22	20	3	AAAAM	19.6	0.4	69.8	119	13	32	19	79	2	85	MF5E.M	525	1,234	861	\$4,520.25	TIAM	PR
PMC 100279 AS/ESSINGTON	A4379140	2199	S22	20	4	AAAM	18.4	0.2	66.9	114	15	16	7	85	8	73	MF5E.	667	1,407	941	\$6,276.47	TIAM	PR
PMC 100279 AS/ESSINGTON	A4692733	2164	S51	21	3	AAAM	18.3	0.4	77.4	84	15	35	31	29	40	74	MWF5E.N1	454	1,884	1,458	\$6,619.32	TIAM	AA
PMC 100279 AS/ESSINGTON	A4767881	2258	S02	22	6	AAAAM	20.0	0.1	71.9	72	11	54	42	54	4	77	MF4E.	1064	1,484	1,067	\$11,352.88	TIAM	AA
PMC 100279 AS/ESSINGTON	A4871462	2538	S51	21	3	MBKN	16.3	3.0	70.0	62	16	44	19	69	12	58	MWP5S.H2	469	2,007	1,405	\$6,589.45	TIAM	AA
PMC 100279 AS/ESSINGTON	A5089867	2232	S02	23	3	AAAM	20.3	0.3	79.2	58	13	68	7	91	2	70	MF4E.	570	1,295	1,026	\$5,848.20	TIAM	AA
PMC 100279 AS/ESSINGTON	A4577812	2164	S13	21	12	AAAAM	19.6	0.1	72.0	86	10	54	80	15	5	88	MF5S.M	1973	1,444	1,040	\$20,519.20	TIAM	
PMC 100279 AS/ESSINGTON	A4379138	2163	S13	21	8	AAAAM	19.4	0.3	65.7	103	13	30	12	43	45	82	MF5S.M	1474	1,501	986	\$14,533.64	TIAM	PR
PMC 100279 AS/ESSINGTON	A4095572	2539	S01	18	1	MBKN	18.1	2.3	52.9	88	15	28	33	44	23	70	MP5S.H1	183	2,174	1,150	\$2,104.50	UWCM	ND
PMC 100279 AS/ESSINGTON	A4095570	2538	S01	18	2	MLMSPCS	15.6	4.0	51.9	57	20	35	30	33	37	55	MLP5S.H1	265	2,276	1,181	\$3,129.65	UWCM	ND
PMC 100279 AS/ESSINGTON	A4474408	2539	S02	21	2	MPCS	15.4	4.3	59.3	53	17	0	0	0	0	0	MWP5S.H1C1	246	2,074	1,230	\$3,025.80	UWCM	PR
PMC 100279 AS/ESSINGTON	A4334930	2558	S22	20	2	MCRT	19.8	0.9	61.9	0	0	0	0	0	0	0	MC4B.	351	914	566	\$1,986.66	UWCM	PR
PMC 100279 AS/ESSINGTON	A4871465	2541	S51	21	3	MLKS	18.5	0.8	61.2	0	0	0	0	0	0	0	MZ5E.	546	1,038	635	\$3,467.10	UWCM	AA
PMC 100279 AS/ESSINGTON	A4095571	2510	S02	18	2	MLKS	16.5	2.2	52.4	0	0	0	0	0	0	0	MZ5S.	379	1,643	861	\$3,263.19	VWPM	ND
PMC 100279 AS/ESSINGTON	A4379146	2537	S02	21	2	MPCS	17.6	0.7	50.1	61	18	29	16	69	15	54	MP6S.H1	385	2,094	1,049	\$4,038.65	WCWF	PR
PMC 100279 AS/ESSINGTON	A4871466	2542	S51	21	2	MSTN	18.5	1.8	49.9	0	0	0	0	0	0	0	MP7S.50S3	324	1,142	570	\$1,846.80	WCWF	AA
PMC 100279 AS/ESSINGTON	A4871463	2539	S51	21	4	MPCS	18.3	2.6	57.4	0	0	0	0	0	0	0	MP6S.50H2	639	1,237	710	\$4,53		