



Pre Sale Report

Date: 15/03/2024

Trading Name: PR & KL CHAPPLE
Brand: RJ&PRC/GUNNING
Client: PR & KL CHAPPLE
Client Code: 011960
Ph: 02 4845 1106
M: 0427 297 697
Email: karenchapple@bordnet.com.au,well_then@hotmail.com
AWN Rep: AH

Farm Lot in Sale

																		Previous Passed			Appraisal				
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	Res	Mulesing
A5205416	2132	S38	23	12	AAAM	17.4	0.7	78.8	93	13	41	5	85	10	72	MF4E.	2178				1,618	1,275	\$27,769.50	.0	NM
A5205417	2133	S38	23	12	AAAM	17.4	0.5	78.4	94	20	41	27	44	29	77	MF4E.	2200				1,658	1,300	\$28,600.00	.0	NM
A5205418	2134	S38	23	5	AAAM	16.7	0.6	73.4	64	15	53	38	62	0	65	MF4E.	818				1,744	1,280	\$10,470.40	.0	NM
A5205419	2135	S38	23	6	AAAM	17.6	0.3	76.2	98	14	36	26	49	25	78	MF4E.H1	1060				1,496	1,140	\$12,084.00	.0	NM
A5205420	2136	S38	23	1	AAAM	16.2	0.6	71.6	58	15	0	0	0	0	0	MF5E.	192				1,753	1,255	\$2,409.60	.0	NM
A5205421	2137	S38	23	2	AAAM	16.7	0.7	76.9	89	10	30	5	83	12	66	MF4E.H1	311				1,515	1,165	\$3,623.15	.0	NM
A5205422	2538	S38	23	11	MBKN	16.8	3.3	67.1	90	18	32	9	69	22	65	MP5S.C1	1934				1,438	965	\$18,663.10	.0	NM
A5205423	2539	S38	23	3	MBKN	16.3	3.1	63.8	66	16	45	30	58	12	62	MP5S.H1	542				1,552	990	\$5,365.80	.0	NM
A5205424	2540	S38	23	3	MBLS	17.4	2.5	58.1	0	0	0	0	0	0	0	MB5S.70H1	479				1,403	815	\$3,903.85	.0	NM
A5205425	2541	S38	23	3	MLKS	16.3	3.3	66.5	0	0	0	0	0	0	0	MZ4S.	486				925	615	\$2,988.90	.0	NM
A5205426	2542	S38	23	4	STNMPCS	16.5	5.2	54.3	0	0	0	0	0	0	0	MC5S.S2	734				958	520	\$3,816.80	.0	NM
A5205427	2543	S38	23	7	AAAMLMS	15.4	1.6	72.5	0	0	0	0	0	0	0	MLF4S.40	1249				1,572	1,140	\$14,238.60	.0	NM
A5205428	2544	S38	23	4	MLPCS	15.0	3.3	65.3	0	0	0	0	0	0	0	MLP5S.30H1	667				1,172	765	\$5,102.55	.0	NM
A5191172	2161	S38	23	9	AAAAM	17.9	0.5	77.0	98	15	43	50	41	9	82	MF4E.	1586	S33	2106	1207.0	1,539	1,185	\$18,794.10	.0	NM
A5191178	2558	S38	23	4	AAAMPSC	16.8	1.0	66.3	89	19	33	30	61	9	68	MP5S.H1	759	S33	2506	1000.0	1,561	1,035	\$7,855.65	.0	NM
A5191181	2559	S38	23	3	MPCS	17.4	3.0	58.0	0	0	0	0	0	0	0	MP6S.50H1P1	556	S33	2509	500.0	974	565	\$3,141.40	.0	CM
A5191182	2560	S38	23	2	MBLS	17.6	1.5	59.9	0	0	0	0	0	0	0	MB5S.70H1	270	S33	2510	810.0	1,402	840	\$2,268.00	.0	NM
A5144782	2171	S38	23	4	SUPAAAA	16.5	1.1	75.7	90	12	47	12	78	10	73	MF4S.	646				1,797	1,360	\$8,785.60	.0	NM
A5144783	2172	S38	23	5	SUPAAAA	16.6	1.3	75.2	87	14	46	12	49	39	74	MF4S.	729				1,809	1,360	\$9,914.40	.0	CM
A5144784	2173	S38	23	3	SUPAAAA	16.5	0.6	76.7	87	17	49	3	81	16	71	MF4E.	432				1,806	1,385	\$5,983.20	.0	CM
A5144787	2174	S38	23	2	SUPAAAM	15.9	0.9	73.1	79	17	40	19	63	18	65	MF4S.M	312				2,018	1,475	\$4,602.00	.0	CM
A5144789	2175	S38	23	3	SUPAAA	15.1	1.2	75.6	78	15	48	12	66	22	66	MWF4S.	468				2,401	1,815	\$8,494.20	.0	NM
A5205640	2839	S38	23	3	AAAAFX	25.5	0.1	75.7	0	0	0	0	0	0	0	XF5E.90	471				528	400	\$1,884.00	.0	NM
A5205641	2840	S38	23	2	AAAAFX	25.8	0.4	75.0	0	0	0	0	0	0	0	XF5E.100H1	317				500	375	\$1,188.75	.0	NM
A5205642	2841	S38	23	4	AAFXLMS	23.1	1.0	78.3	0	0	0	0	0	0	0	XLF4S.40	529				562	440	\$2,327.60	.0	NM
A5209184	2229	S39	23	2	AAAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		381				0	0	\$0.00	.0	NM
A5209185	2230	S39	23	1	AAAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		131				0	0	\$0.00	.0	NM
A5209186	2231	S39	23	2	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		319				0	0	\$0.00	.0	NM
A5209187	2232	S39	23	1	AAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		183				0	0	\$0.00	.0	NM
A5209188	2587	S39	23	1	MBKN	.0	0.0	0.0	0	0	0	0	0	0	0		187				0	0	\$0.00	.0	NM
A5209189	2588	S39	23	1	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		123				0	0	\$0.00	.0	NM
A5206468	2108	S39	23	2	SUPAAAAAM	16.3	0.5	75.9	84	16	49	14	61	25	72		319				0	0	\$0.00	.0	NM
A5206469	2109	S39	23	1	SUPAAAM	15.3	0.5	76.3	80	13	58	19	74	7	71		136				0	0	\$0.00	.0	NM
A5206470	2110	S39	23	2	SUPAAAM	16.9	0.6	75.6	79	12	43	20	71	9	69		318				0	0	\$0.00	.0	NM
A5206471	2111	S39	23	1	AAAAM	16.9	0.7	75.3	101	11	48	7	17	76	88		188				0	0	\$0.00	.0	NM
A5206472	2112	S39	23	1	AAAAM	16.3	0.1	74.6	86	14	45	12	72	16	71		149				0	0	\$0.00	.0	NM
A5206473	2113	S39	23	1	SUPAAAM	15.7	0.4	73.9	74	18	36	64	30	6	66		149				0	0	\$0.00	.0	NM
A5206474	2114	S39	23	1	SUPAAAAAM	15.6	0.5	72.4	80	15	45	72	24	4	74		132				0	0	\$0.00	.0	NM
A5206475	2508	S39	23	1	BKNM	16.5	3.5	69.4	80	24	36	17	45	38	63		197				0	0	\$0.00	.0	NM
A5206476	2509	S39	23	1	PCSM	15.8	1.4	60.9	75	19	32	24	50	26	61		193				0	0	\$0.00	.0	NM
A5206477	2510	S39	23	1	PCSM	15.6	1.9	62.0	0	0	0	0	0	0	0		190				0	0	\$0.00	.0	NM
A5208409	2191	S39	23	9	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		1719				0	0	\$0.00	.0	AA
A5208410	2192	S39	23	1	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		174				0	0	\$0.00	.0	AA
A5208411	2193	S39	23	7	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		1291				0	0	\$0.00	.0	AA
A5208412	2194	S39	23	3	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		538				0	0	\$0.00	.0	AA
A5208413	2195	S39	23	1	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		195				0	0	\$0.00	.0	AA
A5208414	2196	S39	23	2	AAAM	16.0	0.6	69.9	0	0	0	0	0	0	0		334				0	0	\$0.00	.0	AA
A5208415	2563	S39	23	5	MBKN	.0	0.0	0.0	0	0	0	0	0	0	0		959				0	0	\$0.00	.0	AA
A5208416	2564	S39	23	3	MCRT	.0	0.0	0.0	0	0	0	0	0	0	0		558				0	0	\$0.00	.0	AA
A5208417	2565	S39	23	3	MJWL	17.7	9.3	58.7	0	0	0	0	0	0	0		556				0	0	\$0.00	.0	AA
A5126937	2136	S39	23	3	AAAASUP	17.0	0.3	72.3	87	13	44	13	48	39	75	MF4E.	507				1,757	1,270	\$6,438.90	.0	AA
A5126938	2137	S39	23	3	AAAAAM	17.4	0.6	73.5	100	13	39	14	33	53	83	MF4E.	573				1,626	1,195	\$6,847.35	.0	AA
A5126939	2138	S39	23	3	AAAAAM	17.4	0.8	73.5	96	12	44	14	47	39	81	MF4S.	520				1,646	1,210	\$6,292.00	.0	AA
A5126940	2139	S39	23	2	AAAM	17.8	0.7	72.5	100	14	36	2	23	75	82	MF4E.F1	377				1,510	1,095	\$4,128.15	.0	AA
A5126941	2140	S39	23	3	AAAM	17.4	0.9	69.7	98	16	42	9	23	68	83	MF5S.	559				1,621	1,130	\$6,316.70	.0	AA
A5126942	2141	S39	23	6	AAAM	17.1	0.6	72.8	91	11	37	5	25	70	79	MF4E.	1137				1,696	1,235	\$14,041.95	.0	AA
A5126943	2142	S39	23	3	AAAAM	16.0	0.8	72.1	84	11	50	35	47	18	75	MWF4S.H1	565				1,859	1,340	\$7,571.00	.0	AA
A5126944	2164	S38	23	3	AAAM	15.7	0.5	68.4	62	18	45	20	43	37	61	MWF5S.H1	570				1,776	1,215	\$6,925.50	.0	AA
A5126945	2562	S38	23	5	MBKN	17.1	1.9	66.6	83	22	31	13	57	30	64	MP5S.	947				1,517	1,010	\$9,564.70	.0	AA

A5126946	2563	S38	23	3	MBKN	15.6	1.9	64.5	87	22	39	18	58	24	65	MWP5S.H1	538				1,767	1,140	\$6,133.20	.0	AA
A5126947	2564	S38	23	2	MBLS	17.4	1.8	60.1	0	0	0	0	0	0	0	MB5S.70H1	341				1,431	860	\$2,932.60	.0	AA
A5126948	2565	S38	23	2	STNPCS	16.0	2.5	53.6	0	0	0	0	0	0	0	MC5B.S2	358				1,101	590	\$2,112.20	.0	AA
A5104369	2162	S38	23	2	AAAASUP	16.6	1.0	76.9	90	12	47	16	50	34	78	MF4S.	345	S22	2190	1450.0	1,821	1,400	\$4,830.00	1600.0	AA
A5104370	2163	S38	23	2	AAAASUP	17.0	0.7	76.4	89	10	46	24	21	55	82	MF4E.	293	S22	2191	1410.0	1,760	1,345	\$3,940.85	1600.0	AA
A5208141	2148	S39	23	10	AAAAM	17.0	1.5	75.9	0	0	0	0	0	0	0		1794				0	0	\$0.00	.0	CM
A5208142	2149	S39	23	10	AAAAM	17.2	1.7	73.9	0	0	0	0	0	0	0		1797				0	0	\$0.00	.0	CM
A5208143	2150	S39	23	8	AAAAM	17.1	1.2	74.8	0	0	0	0	0	0	0		1443				0	0	\$0.00	.0	CM
A5208144	2151	S39	23	6	AAAM	17.5	1.3	73.6	0	0	0	0	0	0	0		1078				0	0	\$0.00	.0	CM
A5208146	2535	S39	23	8	MBKN	16.5	4.0	63.5	0	0	0	0	0	0	0		1452				0	0	\$0.00	.0	CM
A5208147	2536	S39	23	2	MPCS	16.7	4.1	51.0	0	0	0	0	0	0	0		283				0	0	\$0.00	.0	CM
A5208148	2537	S39	23	3	MBLS	16.6	2.6	55.6	0	0	0	0	0	0	0		556				0	0	\$0.00	.0	CM
A5208149	2803	S39	23	12	AAAMXLMS	30.9	0.5	71.3	0	0	0	0	0	0	0		1794				0	0	\$0.00	.0	NM
A5208150	2804	S39	23	14	AAAMXLMS	27.4	0.6	72.7	0	0	0	0	0	0	0		2069				0	0	\$0.00	.0	NM
A5208151	2805	S39	23	2	MXBLS	27.6	1.4	52.5	0	0	0	0	0	0	0		321				0	0	\$0.00	.0	NM
A5204810	2822	S38	23	4	AAAFX	23.4	1.3	70.2	0	0	0	0	0	0	0	XF5S.120H1	585				691	485	\$2,837.25	.0	NM
A5204811	2823	S38	23	3	AABKN	23.0	2.8	65.8	0	0	0	0	0	0	0	XP5S.100H1	395				509	335	\$1,323.25	.0	NM
A5204812	2824	S38	23	1	AAPCS	22.6	2.1	54.5	0	0	0	0	0	0	0	XP5S.90H1C1	143				541	295	\$421.85	.0	NM
A5075335	2115	S39	23	3	SUPAAAA	18.4	2.1	73.3	81	11	44	38	41	21	77	MF4S.	547				1,439	1,055	\$5,770.85	.0	M
A5075336	2116	S39	23	3	AAAM	18.7	1.9	71.2	85	13	35	26	57	17	71	MF4S.H1	491				1,327	945	\$4,639.95	.0	M
A5075337	2511	S39	23	1	MBKN	18.1	6.0	65.1	92	22	33	10	40	50	71	MP4S.	187				1,244	810	\$1,514.70	.0	M
A5075338	2512	S39	23	1	MPCS	17.7	4.9	57.4	0	0	0	0	0	0	0	MP5S.50H1C1	201				1,054	605	\$1,216.05	.0	M
A5075339	2513	S39	23	1	MLKS	17.4	3.9	56.6	0	0	0	0	0	0	0	MZ5S.	200				716	405	\$810.00	.0	M
A5075340	2117	S39	23	2	AAAMWNS	16.6	2.6	70.2	79	14	34	31	64	5	64	MWF5S.	329				1,617	1,135	\$3,734.15	.0	M
Total/Avg				307		16.01	1.4	61.8	40.61	7.13	18.67						52839				856.3	614.4	\$324,618.30		

Lot Building in Sale

																		Previous Passed			Appraisal				
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	Res	Mulesing
AA352969		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352970		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352971		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352972		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352973		S39	23	1	BCXB	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA322077		S39	23	1	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		192				0	0	\$0.00	.0	
AA352504		S39	23	1	MLKS	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352570		S39	23	1	AAM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA351278		S38	23	1	BC	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
Total/Avg				9		0.00	0.0	0.0	0.00	0.00	0.00						192				0.0	0.0	\$0.00		

Date: 15/03/2024



Pre Sale Report

Trading Name: K RATTIGAN
Brand: VARIOUS
Client: K RATTIGAN
Client Code: 074280
Ph: 02 6227 7880
M: 0427 544 785
Email: babinda@activ8.net.au
AWN Rep: AH

Farm Lot in Sale

																		Previous Passed			Appraisal				
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	Res	Mulesing
A5205416	2132	S38	23	12	AAAM	17.4	0.7	78.8	93	13	41	5	85	10	72	MF4E.	2178				1,618	1,275	\$27,769.50	.0	NM
A5205417	2133	S38	23	12	AAAM	17.4	0.5	78.4	94	20	41	27	44	29	77	MF4E.	2200				1,658	1,300	\$28,600.00	.0	NM
A5205418	2134	S38	23	5	AAAM	16.7	0.6	73.4	64	15	53	38	62	0	65	MF4E.	818				1,744	1,280	\$10,470.40	.0	NM
A5205419	2135	S38	23	6	AAAM	17.6	0.3	76.2	98	14	36	26	49	25	78	MF4E.H1	1060				1,496	1,140	\$12,084.00	.0	NM
A5205420	2136	S38	23	1	AAAM	16.2	0.6	71.6	58	15	0	0	0	0	0	MF5E.	192				1,753	1,255	\$2,409.60	.0	NM
A5205421	2137	S38	23	2	AAAM	16.7	0.7	76.9	89	10	30	5	83	12	66	MF4E.H1	311				1,515	1,165	\$3,623.15	.0	NM
A5205422	2538	S38	23	11	MBKN	16.8	3.3	67.1	90	18	32	9	69	22	65	MP5S.C1	1934				1,438	965	\$18,663.10	.0	NM
A5205423	2539	S38	23	3	MBKN	16.3	3.1	63.8	66	16	45	30	58	12	62	MP5S.H1	542				1,552	990	\$5,365.80	.0	NM
A5205424	2540	S38	23	3	MBLS	17.4	2.5	58.1	0	0	0	0	0	0	0	MB5S.70H1	479				1,403	815	\$3,903.85	.0	NM
A5205425	2541	S38	23	3	MLKS	16.3	3.3	66.5	0	0	0	0	0	0	0	MZ4S.	486				925	615	\$2,988.90	.0	NM
A5205426	2542	S38	23	4	STNMPCS	16.5	5.2	54.3	0	0	0	0	0	0	0	MC5S.S2	734				958	520	\$3,816.80	.0	NM
A5205427	2543	S38	23	7	AAAMLMS	15.4	1.6	72.5	0	0	0	0	0	0	0	MLF4S.40	1249				1,572	1,140	\$14,238.60	.0	NM
A5205428	2544	S38	23	4	MLPCS	15.0	3.3	65.3	0	0	0	0	0	0	0	MLP5S.30H1	667				1,172	765	\$5,102.55	.0	NM
A5191172	2161	S38	23	9	AAAAM	17.9	0.5	77.0	98	15	43	50	41	9	82	MF4E.	1586	S33	2106	1207.0	1,539	1,185	\$18,794.10	.0	NM
A5191178	2558	S38	23	4	AAAMPCS	16.8	1.0	66.3	89	19	33	30	61	9	68	MP5S.H1	759	S33	2506	1000.0	1,561	1,035	\$7,855.65	.0	NM
A5191181	2559	S38	23	3	MPCS	17.4	3.0	58.0	0	0	0	0	0	0	0	MP6S.50H1P1	556	S33	2509	500.0	974	565	\$3,141.40	.0	CM
A5191182	2560	S38	23	2	MBLS	17.6	1.5	59.9	0	0	0	0	0	0	0	MB5S.70H1	270	S33	2510	810.0	1,402	840	\$2,268.00	.0	NM
A5144782	2171	S38	23	4	SUPAAAA	16.5	1.1	75.7	90	12	47	12	78	10	73	MF4S.	646				1,797	1,360	\$8,785.60	.0	NM

A5144783	2172	S38	23	5	SUPAAAA	16.6	1.3	75.2	87	14	46	12	49	39	74	MF4S.	729				1,809	1,360	\$9,914.40	.0	CM
A5144784	2173	S38	23	3	SUPAAAA	16.5	0.6	76.7	87	17	49	3	81	16	71	MF4E.	432				1,806	1,385	\$5,983.20	.0	CM
A5144787	2174	S38	23	2	SUPAAAM	15.9	0.9	73.1	79	17	40	19	63	18	65	MF4S.M	312				2,018	1,475	\$4,602.00	.0	CM
A5144789	2175	S38	23	3	SUPAAA	15.1	1.2	75.6	78	15	48	12	66	22	66	MWF4S.	468				2,401	1,815	\$8,494.20	.0	NM
A5205640	2839	S38	23	3	AAAAFX	25.5	0.1	75.7	0	0	0	0	0	0	0	XF5E.90	471				528	400	\$1,884.00	.0	NM
A5205641	2840	S38	23	2	AAAAFX	25.8	0.4	75.0	0	0	0	0	0	0	0	XF5E.100H1	317				500	375	\$1,188.75	.0	NM
A5205642	2841	S38	23	4	AAFXLMS	23.1	1.0	78.3	0	0	0	0	0	0	0	XLF4S.40	529				562	440	\$2,327.60	.0	NM
A5209184	2229	S39	23	2	AAAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		381				0	0	\$0.00	.0	NM
A5209185	2230	S39	23	1	AAAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		131				0	0	\$0.00	.0	NM
A5209186	2231	S39	23	2	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		319				0	0	\$0.00	.0	NM
A5209187	2232	S39	23	1	AAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		183				0	0	\$0.00	.0	NM
A5209188	2587	S39	23	1	MBKN	.0	0.0	0.0	0	0	0	0	0	0	0		187				0	0	\$0.00	.0	NM
A5209189	2588	S39	23	1	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		123				0	0	\$0.00	.0	NM
A5206468	2108	S39	23	2	SUPAAAAAM	16.3	0.5	75.9	84	16	49	14	61	25	72		319				0	0	\$0.00	.0	NM
A5206469	2109	S39	23	1	SUPAAAM	15.3	0.5	76.3	80	13	58	19	74	7	71		136				0	0	\$0.00	.0	NM
A5206470	2110	S39	23	2	SUPAAAM	16.9	0.6	75.6	79	12	43	20	71	9	69		318				0	0	\$0.00	.0	NM
A5206471	2111	S39	23	1	AAAAM	16.9	0.7	75.3	101	11	48	7	17	76	88		188				0	0	\$0.00	.0	NM
A5206472	2112	S39	23	1	AAAAM	16.3	0.1	74.6	86	14	45	12	72	16	71		149				0	0	\$0.00	.0	NM
A5206473	2113	S39	23	1	SUPAAAM	15.7	0.4	73.9	74	18	36	64	30	6	66		149				0	0	\$0.00	.0	NM
A5206474	2114	S39	23	1	SUPAAAAAM	15.6	0.5	72.4	80	15	45	72	24	4	74		132				0	0	\$0.00	.0	NM
A5206475	2508	S39	23	1	BKNM	16.5	3.5	69.4	80	24	36	17	45	38	63		197				0	0	\$0.00	.0	NM
A5206476	2509	S39	23	1	PCSM	15.8	1.4	60.9	75	19	32	24	50	26	61		193				0	0	\$0.00	.0	NM
A5206477	2510	S39	23	1	PCSM	15.6	1.9	62.0	0	0	0	0	0	0	0		190				0	0	\$0.00	.0	NM
A5208409	2191	S39	23	9	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		1719				0	0	\$0.00	.0	AA
A5208410	2192	S39	23	1	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		174				0	0	\$0.00	.0	AA
A5208411	2193	S39	23	7	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		1291				0	0	\$0.00	.0	AA
A5208412	2194	S39	23	3	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		538				0	0	\$0.00	.0	AA
A5208413	2195	S39	23	1	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		195				0	0	\$0.00	.0	AA
A5208414	2196	S39	23	2	AAAM	16.0	0.6	69.9	0	0	0	0	0	0	0		334				0	0	\$0.00	.0	AA
A5208415	2563	S39	23	5	MBKN	.0	0.0	0.0	0	0	0	0	0	0	0		959				0	0	\$0.00	.0	AA
A5208416	2564	S39	23	3	MCRT	.0	0.0	0.0	0	0	0	0	0	0	0		558				0	0	\$0.00	.0	AA
A5208417	2565	S39	23	3	MJWL	17.7	9.3	58.7	0	0	0	0	0	0	0		556				0	0	\$0.00	.0	AA
A5126937	2136	S39	23	3	AAAASUP	17.0	0.3	72.3	87	13	44	13	48	39	75	MF4E.	507				1,757	1,270	\$6,438.90	.0	AA
A5126938	2137	S39	23	3	AAAAM	17.4	0.6	73.5	100	13	39	14	33	53	83	MF4E.	573				1,626	1,195	\$6,847.35	.0	AA
A5126939	2138	S39	23	3	AAAAM	17.4	0.8	73.5	96	12	44	14	47	39	81	MF4S.	520				1,646	1,210	\$6,292.00	.0	AA
A5126940	2139	S39	23	2	AAAM	17.8	0.7	72.5	100	14	36	2	23	75	82	MF4E.F1	377				1,510	1,095	\$4,128.15	.0	AA
A5126941	2140	S39	23	3	AAAM	17.4	0.9	69.7	98	16	42	9	23	68	83	MF5S.	559				1,621	1,130	\$6,316.70	.0	AA
A5126942	2141	S39	23	6	AAAM	17.1	0.6	72.8	91	11	37	5	25	70	79	MF4E.	1137				1,696	1,235	\$14,041.95	.0	AA
A5126943	2142	S39	23	3	AAAAM	16.0	0.8	72.1	84	11	50	35	47	18	75	MWF4S.H1	565				1,859	1,340	\$7,571.00	.0	AA
A5126944	2164	S38	23	3	AAAM	15.7	0.5	68.4	62	18	45	20	43	37	61	MWF5S.H1	570				1,776	1,215	\$6,925.50	.0	AA
A5126945	2562	S38	23	5	MBKN	17.1	1.9	66.6	83	22	31	13	57	30	64	MP5S.	947				1,517	1,010	\$9,564.70	.0	AA
A5126946	2563	S38	23	3	MBKN	15.6	1.9	64.5	87	22	39	18	58	24	65	MWP5S.H1	538				1,767	1,140	\$6,133.20	.0	AA
A5126947	2564	S38	23	2	MBLS	17.4	1.8	60.1	0	0	0	0	0	0	0	MB5S.70H1	341				1,431	860	\$2,932.60	.0	AA
A5126948	2565	S38	23	2	STNPCS	16.0	2.5	53.6	0	0	0	0	0	0	0	MC5B.S2	358				1,101	590	\$2,112.20	.0	AA
A5104369	2162	S38	23	2	AAAASUP	16.6	1.0	76.9	90	12	47	16	50	34	78	MF4S.	345	S22	2190	1450.0	1,821	1,400	\$4,830.00	1600.0	AA
A5104370	2163	S38	23	2	AAAASUP	17.0	0.7	76.4	89	10	46	24	21	55	82	MF4E.	293	S22	2191	1410.0	1,760	1,345	\$3,940.85	1600.0	AA
A5208141	2148	S39	23	10	AAAAM	17.0	1.5	75.9	0	0	0	0	0	0	0		1794				0	0	\$0.00	.0	CM
A5208142	2149	S39	23	10	AAAAM	17.2	1.7	73.9	0	0	0	0	0	0	0		1797				0	0	\$0.00	.0	CM
A5208143	2150	S39	23	8	AAAAM	17.1	1.2	74.8	0	0	0	0	0	0	0		1443				0	0	\$0.00	.0	CM
A5208144	2151	S39	23	6	AAAM	17.5	1.3	73.6	0	0	0	0	0	0	0		1078				0	0	\$0.00	.0	CM
A5208146	2535	S39	23	8	MBKN	16.5	4.0	63.5	0	0	0	0	0	0	0		1452				0	0	\$0.00	.0	CM
A5208147	2536	S39	23	2	MPCS	16.7	4.1	51.0	0	0	0	0	0	0	0		283				0	0	\$0.00	.0	CM
A5208148	2537	S39	23	3	MBLS	16.6	2.6	55.6	0	0	0	0	0	0	0		556				0	0	\$0.00	.0	CM
A5208149	2803	S39	23	12	AAAMXLMS	30.9	0.5	71.3	0	0	0	0	0	0	0		1794				0	0	\$0.00	.0	NM
A5208150	2804	S39	23	14	AAAMXLMS	27.4	0.6	72.7	0	0	0	0	0	0	0		2069				0	0	\$0.00	.0	NM
A5208151	2805	S39	23	2	MXBLS	27.6	1.4	52.5	0	0	0	0	0	0	0		321				0	0	\$0.00	.0	NM
A5204810	2822	S38	23	4	AAAFX	23.4	1.3	70.2	0	0	0	0	0	0	0	XF5S.120H1	585				691	485	\$2,837.25	.0	NM
A5204811	2823	S38	23	3	AABKN	23.0	2.8	65.8	0	0	0	0	0	0	0	XP5S.100H1	395				509	335	\$1,323.25	.0	NM
A5204812	2824	S38	23	1	AAPCS	22.6	2.1	54.5	0	0	0	0	0	0	0	XP5S.90H1C1	143				541	295	\$421.85	.0	NM
A5075335	2115	S39	23	3	SUPAAAA	18.4	2.1	73.3	81	11	44	38	41	21	77	MF4S.	547				1,439	1,055	\$5,770.85	.0	M
A5075336	2116	S39	23	3	AAAM	18.7	1.9	71.2	85	13	35	26	57	17	71	MF4S.H1	491				1,327	945	\$4,639.95	.0	M
A5075337	2511	S39	23	1	MBKN	18.1	6.0	65.1	92	22	33	10	40	50	71	MP4S.	187				1,244	810	\$1,514.70	.0	M
A5075338	2512	S39	23	1	MPCS	17.7	4.9	57.4	0	0	0	0	0	0	0	MP5S.50H1C1	201				1,054	605	\$1,216.05	.0	M
A5075339	2513	S39	23	1	MLKS	17.4	3.9	56.6	0	0	0	0	0	0	0	MZ5S.	200				716	405	\$810.00	.0	M
A5075340	2117	S39	23	2	AAAMWNS	16.6	2.6	70.2	79	14	34	31	64	5	64	MWF5S.	329				1,617	1,135	\$3,734.15	.0	M
Total/Avg				307		16.01	1.4	61.8	40.61	7.13	18.67						52839				856.3	614.			

AA352570		S39	23	1	AAM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA351278		S38	23	1	BC	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
Total/Avg				9		0.00	0.0	0.0	0.00	0.00	0.00						192				0.0	0.0	\$0.00		

Date: 15/03/2024



Pre Sale Report

Trading Name: JAMES P RATTIGAN
Brand: THE GRANGE
Client: JAMES RATTIGAN
Client Code: 108624
Ph:
M: 0428 544 785
Email: toft.1000@hotmail.com
AWN Rep: AH

Farm Lot in Sale

																		Previous Passed			Appraisal				
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	Res	Mulesing
A5205416	2132	S38	23	12	AAAM	17.4	0.7	78.8	93	13	41	5	85	10	72	MF4E.	2178				1,618	1,275	\$27,769.50	.0	NM
A5205417	2133	S38	23	12	AAAM	17.4	0.5	78.4	94	20	41	27	44	29	77	MF4E.	2200				1,658	1,300	\$28,600.00	.0	NM
A5205418	2134	S38	23	5	AAAM	16.7	0.6	73.4	64	15	53	38	62	0	65	MF4E.	818				1,744	1,280	\$10,470.40	.0	NM
A5205419	2135	S38	23	6	AAAM	17.6	0.3	76.2	98	14	36	26	49	25	78	MF4E.H1	1060				1,496	1,140	\$12,084.00	.0	NM
A5205420	2136	S38	23	1	AAAM	16.2	0.6	71.6	58	15	0	0	0	0	0	MF5E.	192				1,753	1,255	\$2,409.60	.0	NM
A5205421	2137	S38	23	2	AAAM	16.7	0.7	76.9	89	10	30	5	83	12	66	MF4E.H1	311				1,515	1,165	\$3,623.15	.0	NM
A5205422	2538	S38	23	11	MBKN	16.8	3.3	67.1	90	18	32	9	69	22	65	MP5S.C1	1934				1,438	965	\$18,663.10	.0	NM
A5205423	2539	S38	23	3	MBKN	16.3	3.1	63.8	66	16	45	30	58	12	62	MP5S.H1	542				1,552	990	\$5,365.80	.0	NM
A5205424	2540	S38	23	3	MBLS	17.4	2.5	58.1	0	0	0	0	0	0	0	MB5S.70H1	479				1,403	815	\$3,903.85	.0	NM
A5205425	2541	S38	23	3	MLKS	16.3	3.3	66.5	0	0	0	0	0	0	0	MZ4S.	486				925	615	\$2,988.90	.0	NM
A5205426	2542	S38	23	4	STNMPCS	16.5	5.2	54.3	0	0	0	0	0	0	0	MC5S.S2	734				958	520	\$3,816.80	.0	NM
A5205427	2543	S38	23	7	AAAMLMS	15.4	1.6	72.5	0	0	0	0	0	0	0	MLF4S.40	1249				1,572	1,140	\$14,238.60	.0	NM
A5205428	2544	S38	23	4	MLPCS	15.0	3.3	65.3	0	0	0	0	0	0	0	MLP5S.30H1	667				1,172	765	\$5,102.55	.0	NM
A5191172	2161	S38	23	9	AAAAM	17.9	0.5	77.0	98	15	43	50	41	9	82	MF4E.	1586	S33	2106	1207.0	1,539	1,185	\$18,794.10	.0	NM
A5191178	2558	S38	23	4	AAAMPCS	16.8	1.0	66.3	89	19	33	30	61	9	68	MP5S.H1	759	S33	2506	1000.0	1,561	1,035	\$7,855.65	.0	NM
A5191181	2559	S38	23	3	MPCS	17.4	3.0	58.0	0	0	0	0	0	0	0	MP6S.50H1P1	556	S33	2509	500.0	974	565	\$3,141.40	.0	CM
A5191182	2560	S38	23	2	MBLS	17.6	1.5	59.9	0	0	0	0	0	0	0	MB5S.70H1	270	S33	2510	810.0	1,402	840	\$2,268.00	.0	NM
A5144782	2171	S38	23	4	SUPAAAA	16.5	1.1	75.7	90	12	47	12	78	10	73	MF4S.	646				1,797	1,360	\$8,785.60	.0	NM
A5144783	2172	S38	23	5	SUPAAAA	16.6	1.3	75.2	87	14	46	12	49	39	74	MF4S.	729				1,809	1,360	\$9,914.40	.0	CM
A5144784	2173	S38	23	3	SUPAAAA	16.5	0.6	76.7	87	17	49	3	81	16	71	MF4E.	432				1,806	1,385	\$5,983.20	.0	CM
A5144787	2174	S38	23	2	SUPAAAM	15.9	0.9	73.1	79	17	40	19	63	18	65	MF4S.M	312				2,018	1,475	\$4,602.00	.0	CM
A5144789	2175	S38	23	3	SUPAAA	15.1	1.2	75.6	78	15	48	12	66	22	66	MWF4S.	468				2,401	1,815	\$8,494.20	.0	NM
A5205640	2839	S38	23	3	AAAFX	25.5	0.1	75.7	0	0	0	0	0	0	0	XF5E.90	471				528	400	\$1,884.00	.0	NM
A5205641	2840	S38	23	2	AAAFX	25.8	0.4	75.0	0	0	0	0	0	0	0	XF5E.100H1	317				500	375	\$1,188.75	.0	NM
A5205642	2841	S38	23	4	AAFXLMS	23.1	1.0	78.3	0	0	0	0	0	0	0	XLF4S.40	529				562	440	\$2,327.60	.0	NM
A5209184	2229	S39	23	2	AAAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		381				0	0	\$0.00	.0	NM
A5209185	2230	S39	23	1	AAAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		131				0	0	\$0.00	.0	NM
A5209186	2231	S39	23	2	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		319				0	0	\$0.00	.0	NM
A5209187	2232	S39	23	1	AAASUP	.0	0.0	0.0	0	0	0	0	0	0	0		183				0	0	\$0.00	.0	NM
A5209188	2587	S39	23	1	MBKN	.0	0.0	0.0	0	0	0	0	0	0	0		187				0	0	\$0.00	.0	NM
A5209189	2588	S39	23	1	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		123				0	0	\$0.00	.0	NM
A5206468	2108	S39	23	2	SUPAAAAM	16.3	0.5	75.9	84	16	49	14	61	25	72		319				0	0	\$0.00	.0	NM
A5206469	2109	S39	23	1	SUPAAAM	15.3	0.5	76.3	80	13	58	19	74	7	71		136				0	0	\$0.00	.0	NM
A5206470	2110	S39	23	2	SUPAAAM	16.9	0.6	75.6	79	12	43	20	71	9	69		318				0	0	\$0.00	.0	NM
A5206471	2111	S39	23	1	AAAAM	16.9	0.7	75.3	101	11	48	7	17	76	88		188				0	0	\$0.00	.0	NM
A5206472	2112	S39	23	1	AAAAM	16.3	0.1	74.6	86	14	45	12	72	16	71		149				0	0	\$0.00	.0	NM
A5206473	2113	S39	23	1	SUPAAAM	15.7	0.4	73.9	74	18	36	64	30	6	66		149				0	0	\$0.00	.0	NM
A5206474	2114	S39	23	1	SUPAAAAAM	15.6	0.5	72.4	80	15	45	72	24	4	74		132				0	0	\$0.00	.0	NM
A5206475	2508	S39	23	1	BKNM	16.5	3.5	69.4	80	24	36	17	45	38	63		197				0	0	\$0.00	.0	NM
A5206476	2509	S39	23	1	PCSM	15.8	1.4	60.9	75	19	32	24	50	26	61		193				0	0	\$0.00	.0	NM
A5206477	2510	S39	23	1	PCSM	15.6	1.9	62.0	0	0	0	0	0	0	0		190				0	0	\$0.00	.0	NM
A5208409	2191	S39	23	9	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		1719				0	0	\$0.00	.0	AA
A5208410	2192	S39	23	1	AAAAM	.0	0.0	0.0	0	0	0	0	0	0	0		174				0	0	\$0.00	.0	AA
A5208411	2193	S39	23	7	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		1291				0	0	\$0.00	.0	AA
A5208412	2194	S39	23	3	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		538				0	0	\$0.00	.0	AA
A5208413	2195	S39	23	1	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		195				0	0	\$0.00	.0	AA
A5208414	2196	S39	23	2	AAAM	16.0	0.6	69.9	0	0	0	0	0	0	0		334				0	0	\$0.00	.0	AA
A5208415	2563	S39	23	5	MBKN	.0	0.0	0.0	0	0	0	0	0	0	0		959				0	0	\$0.00	.0	AA
A5208416	2564	S39	23	3	MCRT	.0	0.0	0.0	0	0	0	0	0	0	0		558				0	0	\$0.00	.0	AA
A5208417	2565	S39	23	3	MJWL	17.7	9.3	58.7	0	0	0	0	0	0	0		556				0	0	\$0.00	.0	AA
A5126937	2136	S39	23	3	AAAASUP	17.0	0.3	72.3	87	13	44	13	48	39	75	MF4E.	507				1,757	1,270	\$6,438.90	.0	AA
A5126938	2137	S39	23	3	AAAAM	17.4	0.6	73.5	100	13	39	14	33	53	83	MF4E.	573				1,626	1,195	\$6,847.35	.0	AA
A5126939	2138	S39	23	3	AAAAM	17.4	0.8	73.5	96	12	44	14	47	39	81	MF4S.	520				1,646	1,210	\$6,292.00	.0	AA
A5126940	2139	S39	23	2	AAAM	17.8	0.7	72.5	100	14	36	2	23	75	82	MF4E.F1	377				1,510	1,095	\$4,128.15	.0	AA
A5126941	2140	S39	23	3	AAAM	17.4	0.9	69.7	98	16	42	9	23	68	83	MF5S.	559				1,621	1,130	\$6,316.70	.0	AA
A5126942	2141	S39	23	6	AAAM	17.1	0.6	72.8	91	11	37	5	25	70	79	MF4E.	1137				1,696	1,235	\$14,041.95	.0	AA

A5126943	2142	S39	23	3	AAAAM	16.0	0.8	72.1	84	11	50	35	47	18	75	MWF4S.H1	565				1,859	1,340	\$7,571.00	.0	AA
A5126944	2164	S38	23	3	AAAM	15.7	0.5	68.4	62	18	45	20	43	37	61	MWF5S.H1	570				1,776	1,215	\$6,925.50	.0	AA
A5126945	2562	S38	23	5	MBKN	17.1	1.9	66.6	83	22	31	13	57	30	64	MP5S.	947				1,517	1,010	\$9,564.70	.0	AA
A5126946	2563	S38	23	3	MBKN	15.6	1.9	64.5	87	22	39	18	58	24	65	MWP5S.H1	538				1,767	1,140	\$6,133.20	.0	AA
A5126947	2564	S38	23	2	MBLS	17.4	1.8	60.1	0	0	0	0	0	0	0	MB5S.70H1	341				1,431	860	\$2,932.60	.0	AA
A5126948	2565	S38	23	2	STNPCS	16.0	2.5	53.6	0	0	0	0	0	0	0	MC5B.S2	358				1,101	590	\$2,112.20	.0	AA
A5104369	2162	S38	23	2	AAAASUP	16.6	1.0	76.9	90	12	47	16	50	34	78	MF4S.	345	S22	2190	1450.0	1,821	1,400	\$4,830.00	1600.0	AA
A5104370	2163	S38	23	2	AAAASUP	17.0	0.7	76.4	89	10	46	24	21	55	82	MF4E.	293	S22	2191	1410.0	1,760	1,345	\$3,940.85	1600.0	AA
A5208141	2148	S39	23	10	AAAAM	17.0	1.5	75.9	0	0	0	0	0	0	0		1794				0	0	\$0.00	.0	CM
A5208142	2149	S39	23	10	AAAAM	17.2	1.7	73.9	0	0	0	0	0	0	0		1797				0	0	\$0.00	.0	CM
A5208143	2150	S39	23	8	AAAAM	17.1	1.2	74.8	0	0	0	0	0	0	0		1443				0	0	\$0.00	.0	CM
A5208144	2151	S39	23	6	AAAM	17.5	1.3	73.6	0	0	0	0	0	0	0		1078				0	0	\$0.00	.0	CM
A5208146	2535	S39	23	8	MBKN	16.5	4.0	63.5	0	0	0	0	0	0	0		1452				0	0	\$0.00	.0	CM
A5208147	2536	S39	23	2	MPCS	16.7	4.1	51.0	0	0	0	0	0	0	0		283				0	0	\$0.00	.0	CM
A5208148	2537	S39	23	3	MBLS	16.6	2.6	55.6	0	0	0	0	0	0	0		556				0	0	\$0.00	.0	CM
A5208149	2803	S39	23	12	AAAMXLMS	30.9	0.5	71.3	0	0	0	0	0	0	0		1794				0	0	\$0.00	.0	NM
A5208150	2804	S39	23	14	AAAMXLMS	27.4	0.6	72.7	0	0	0	0	0	0	0		2069				0	0	\$0.00	.0	NM
A5208151	2805	S39	23	2	MXBLS	27.6	1.4	52.5	0	0	0	0	0	0	0		321				0	0	\$0.00	.0	NM
A5204810	2822	S38	23	4	AAAFX	23.4	1.3	70.2	0	0	0	0	0	0	0	XF5S.120H1	585				691	485	\$2,837.25	.0	NM
A5204811	2823	S38	23	3	AABKN	23.0	2.8	65.8	0	0	0	0	0	0	0	XP5S.100H1	395				509	335	\$1,323.25	.0	NM
A5204812	2824	S38	23	1	AAPCS	22.6	2.1	54.5	0	0	0	0	0	0	0	XP5S.90H1C1	143				541	295	\$421.85	.0	NM
A5075335	2115	S39	23	3	SUPAAAA	18.4	2.1	73.3	81	11	44	38	41	21	77	MF4S.	547				1,439	1,055	\$5,770.85	.0	M
A5075336	2116	S39	23	3	AAAM	18.7	1.9	71.2	85	13	35	26	57	17	71	MF4S.H1	491				1,327	945	\$4,639.95	.0	M
A5075337	2511	S39	23	1	MBKN	18.1	6.0	65.1	92	22	33	10	40	50	71	MP4S.	187				1,244	810	\$1,514.70	.0	M
A5075338	2512	S39	23	1	MPCS	17.7	4.9	57.4	0	0	0	0	0	0	0	MP5S.50H1C1	201				1,054	605	\$1,216.05	.0	M
A5075339	2513	S39	23	1	MLKS	17.4	3.9	56.6	0	0	0	0	0	0	0	MZ5S.	200				716	405	\$810.00	.0	M
A5075340	2117	S39	23	2	AAAMWNS	16.6	2.6	70.2	79	14	34	31	64	5	64	MWF5S.	329				1,617	1,135	\$3,734.15	.0	M
Total/Avg				307		16.01	1.4	61.8	40.61	7.13	18.67						52839				856.3	614.4	\$324,618.30		

Lot Building in Sale

																		Previous Passed			Appraisal				
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	Res	Mulesing
AA352969		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352970		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352971		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352972		S39	23	1	BCM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352973		S39	23	1	BCXB	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA322077		S39	23	1	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		192				0	0	\$0.00	.0	
AA352504		S39	23	1	MLKS	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA352570		S39	23	1	AAM	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
AA351278		S38	23	1	BC	.0	0.0	0.0	0	0	0	0	0	0	0		0				0	0	\$0.00	.0	
Total/Avg				9		0.00	0.0	0.0	0.00	0.00	0.00						192				0.0	0.0	\$0.00		