



Pre Sale Report

Farm Lot in Sale

																		Previous Passed			Appraisal					
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	\$/Bale	Res	Mulesing
W474378	1047	PS52	24	1	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		2	PS50	1047	0.0	0	0	\$0.00	\$0.00	.0	ND
W474356	1102	PS52	24	2	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		22	PS50	1102	0.0	0	0	\$0.00	\$0.00	.0	ND
W474374	1291	PS52	24	1	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		4	PS50	1291	0.0	0	0	\$0.00	\$0.00	.0	ND
W474377	1293	PS52	24	2	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		32	PS50	1293	0.0	0	0	\$0.00	\$0.00	.0	ND
3753	3753	PS52	24	7	AAAM	20.2	0.6	71.5	121	12	22	89	7	4	92	MF5E.	1373	PS50	3753	0.0	1,315	940	\$12,906.20	\$1,843.74	.0	ND
3754	3754	PS52	24	6	AAAM	21.3	0.8	70.5	110	10	35	67	30	3	91	MF5E.	1156	PS50	3754	0.0	1,367	964	\$11,143.84	\$1,857.31	.0	ND
3755	3755	PS52	24	7	AAAM	20.8	0.3	69.1	119	15	36	36	56	8	90	MF5E.	1357	PS50	3755	0.0	1,339	925	\$12,552.25	\$1,793.18	.0	ND
3756	3756	PS52	24	5	AAAM	21.0	1.1	70.8	112	14	29	30	54	16	85	MF5E.	916	PS50	3756	0.0	1,343	951	\$8,711.16	\$1,742.23	.0	ND
3757	3757	PS52	24	6	AAAM	19.6	0.5	71.4	0	0	0	0	0	0	0	MF5E.	1173	PS50	3757	0.0	1,433	1,023	\$11,999.79	\$1,999.97	.0	ND
3758	3758	PS52	24	7	AAAM	20.9	0.4	71.4	110	12	25	22	76	2	80	MF5E.	1368	PS50	3758	0.0	1,321	943	\$12,900.24	\$1,842.89	.0	ND
3759	3759	PS52	24	7	AAAMWNS	20.0	0.7	68.4	57	18	0	0	0	0	0	MWF5E.	1387	PS50	3759	0.0	1,237	846	\$11,734.02	\$1,676.29	.0	ND
3765	3765	PS52	24	8	MPCS	19.8	2.6	60.4	93	18	26	60	36	4	73	MP5S.	1467	PS50	3765	0.0	1,238	748	\$10,973.16	\$1,371.65	.0	ND
3766	3766	PS52	24	3	MBLS	20.1	4.8	53.5	0	0	0	0	0	0	0	MB5S.70	580	PS50	3766	0.0	1,107	592	\$3,433.60	\$1,144.53	.0	ND
3767	3767	PS52	24	3	MWPCS	19.3	2.1	59.9	0	0	0	0	0	0	0	MLP5S.40	564	PS50	3767	0.0	1,023	613	\$3,457.32	\$1,152.44	.0	ND
3768	3768	PS52	24	3	STNMLKS	20.7	2.1	52.8	0	0	0	0	0	0	0	MZ5S.S1	571	PS50	3768	0.0	515	272	\$1,553.12	\$517.71	.0	ND
3769	3769	PS52	24	1	B/C	.0	0.0	0.0	0	0	0	0	0	0	0		178	PS50	3769	0.0	0	0	\$0.00	\$0.00	.0	ND
3771	3771	PS52	24	1	B/C	.0	0.0	0.0	0	0	0	0	0	0	0		181	PS50	3771	0.0	0	0	\$0.00	\$0.00	.0	ND
3772	3772	PS52	24	1	B/C	.0	0.0	0.0	0	0	0	0	0	0	0		127	PS50	3772	0.0	0	0	\$0.00	\$0.00	.0	ND
30236	30236	PS52	24	15	AAAM	19.8	0.9	67.4	96	15	22	56	43	1	74	MF5E.	2932	PS50	30236	0.0	1,372	925	\$27,121.00	\$1,808.07	.0	ND
30237	30237	PS52	24	17	AAAM	20.3	0.7	69.9	100	18	29	46	46	8	78	MF5E.	3317	PS50	30237	0.0	1,383	967	\$32,075.39	\$1,886.79	.0	ND
30238	30238	PS52	24	10	AAAM	21.0	0.6	70.8	94	21	42	54	42	4	81	MF5E.	1911	PS50	30238	0.0	1,404	994	\$18,995.34	\$1,899.53	.0	ND
30239	30239	PS52	24	2	AAAM	19.3	1.0	67.8	86	17	29	93	4	3	76	MF5E.	277	PS50	30239	0.0	1,445	980	\$2,714.60	\$1,357.30	.0	ND
30240	30240	PS52	24	1	AAAM	20.0	0.9	68.3	63	18	50	52	46	2	67	MF5E.	118	PS50	30240	0.0	1,338	914	\$1,078.52	\$1,078.52	.0	ND
30241	30241	PS52	24	12	MPCS	19.0	3.7	54.3	83	19	27	46	40	14	67	MP5S.	2189	PS50	30241	0.0	1,265	687	\$15,038.43	\$1,253.20	.0	ND
30242	30242	PS52	24	6	MBLS	20.2	8.6	48.4	0	0	0	0	0	0	0	MB5S.70	1138	PS50	30242	0.0	961	465	\$5,291.70	\$881.95	.0	ND
30243	30243	PS52	24	4	MLKS	20.5	2.6	54.6	0	0	0	0	0	0	0	MZ5S.	634	PS50	30243	0.0	562	307	\$1,946.38	\$486.60	.0	ND
30244	30244	PS52	24	4	AAAMLMS	16.9	1.3	59.5	54	15	0	0	0	0	0	MLF5S.	747	PS50	30244	0.0	1,375	818	\$6,110.46	\$1,527.62	.0	ND
30245	30245	PS52	24	3	AAAMLMS	17.4	0.9	62.0	56	18	47	2	67	31	57	MWF5S.	575	PS50	30245	0.0	1,397	866	\$4,979.50	\$1,659.83	.0	ND
30246	30246	PS52	24	2	BLBS	16.8	3.0	52.5	0	0	0	0	0	0	0		353	PS50	30246	0.0	0	0	\$0.00	\$0.00	.0	ND
30247	30247	PS52	24	2	MLPCS	18.5	4.6	54.5	0	0	0	0	0	0	0	MLP5S.30	343	PS50	30247	0.0	958	522	\$1,790.46	\$895.23	.0	ND
30248	30248	PS52	24	1	STNMCRT	.0	0.0	0.0	0	0	0	0	0	0	0		189	PS50	30248	0.0	0	0	\$0.00	\$0.00	.0	ND
30249	30249	PS52	24	2	MSTN	20.4	4.3	46.8	0	0	0	0	0	0	0	MP7S.60S2	386	PS50	30249	0.0	654	306	\$1,181.16	\$590.58	.0	ND
30250	30250	PS52	24	3	AAAM	19.8	1.7	68.7	79	17	41	76	22	2	76	MF5S.	567	PS50	30250	0.0	1,394	958	\$5,431.86	\$1,810.62	.0	ND
30251	30251	PS52	24	9	AAAM	20.1	1.3	67.9	77	12	45	71	28	1	78	MF5S.	1708	PS50	30251	0.0	1,404	953	\$16,277.24	\$1,808.58	.0	ND
30252	30252	PS52	24	4	AAAM	20.9	0.5	72.2	99	13	33	11	82	7	78	MF5E.	773	PS50	30252	0.0	1,360	982	\$7,590.86	\$1,897.72	.0	ND
30253	30253	PS52	24	6	AAAM	20.6	1.9	67.8	99	15	39	22	52	26	82	MF5S.	1143	PS50	30253	0.0	1,336	906	\$10,355.58	\$1,725.93	.0	ND
30254	30254	PS52	24	16	AAAM	20.2	1.2	70.2	99	15	38	50	36	14	82	MF5S.	2918	PS50	30254	0.0	1,406	987	\$28,800.66	\$1,800.04	.0	ND
30255	30255	PS52	24	8	AAAMLMS	18.9	1.7	65.4	0	0	0	0	0	0	0	MLF5S.30	1429	PS50	30255	0.0	1,021	668	\$9,545.72	\$1,193.22	.0	ND
30256	30256	PS52	24	9	AAAM	20.5	0.7	71.3	98	19	23	13	70	17	72	MF5E.	1597	PS50	30256	0.0	1,332	950	\$15,171.50	\$1,685.72	.0	ND
30257	30257	PS52	24	6	CRT	20.6	1.8	55.1	0	0	0	0	0	0	0	MC5S.	990	PS50	30257	0.0	987	544	\$5,385.60	\$897.60	.0	ND
30258	30258	PS52	24	1	B/C	.0	0.0	0.0	0	0	0	0	0	0	0		132	PS50	30258	0.0	0	0	\$0.00	\$0.00	.0	ND
474354	474354	PS52	24	11	AAAM	19.8	0.5	69.6	114	15	34	22	66	12	84	MF5S.M	2156	PS50	474354	0.0	1,353	942	\$20,309.52	\$1,846.32	.0	ND
474355	474355	PS52	24	8	MPCS	18.8	1.6	57.9	89	26	25	32	54	14	65	MP5S.	1535	PS50	474355	0.0	1,320	764	\$11,727.40	\$1,465.93	.0	ND
474356	474356	PS52	24	13	AAAM	21.8	0.4	68.3	108	12	22	7	53	40	83	MF5S.M	2531	PS50	474356	0.0	1,290	881	\$22,298.11	\$1,715.24	.0	ND
474357	474357	PS52	24	5	AAAM	21.5	0.5	67.9	101	19	21	12	32	56	79	MF5S.M	926	PS50	474357	0.0	1,337	908	\$8,408.08	\$1,681.62	.0	ND
474358	474358	PS52	24	5	MBLS	19.7	3.1	54.5	0	0	0	0	0	0	0	MB5S.	855	PS50	474358	0.0	1,228	669	\$5,719.95	\$1,143.99	.0	ND
474359	474359	PS52	24	5	MLKS	21.1	1.5	59.3	0	0	0	0	0	0	0	MZ5S.	817	PS50	474359	0.0	565	335	\$2,736.95	\$547.39	.0	ND

474360	474360	PS52	24	3	AAAMLMS	19.7	0.3	66.7	0	0	0	0	0	0	0	MLF5E.40	535	PS50	474360	0.0	1,078	719	\$3,846.65	\$1,282.22	.0	ND
474361	474361	PS52	24	2	MLMSPCS	19.2	0.5	61.3	0	0	0	0	0	0	0	MLP5E.20	389	PS50	474361	0.0	806	494	\$1,921.66	\$960.83	.0	ND
474363	474363	PS52	24	5	MCRT	20.9	2.6	58.2	0	0	0	0	0	0	0	MC5S.S1	949	PS50	474363	0.0	918	534	\$5,067.66	\$1,013.53	.0	ND
474364	474364	PS52	24	1	MDAG	.0	0.0	0.0	0	0	0	0	0	0	0		124	PS50	474364	0.0	0	0	\$0.00	\$0.00	.0	ND
474365	474365	PS52	24	4	AAALMS	19.5	0.5	66.2	0	0	0	0	0	0	0	MLF5S.40	683	PS50	474365	0.0	1,106	732	\$4,999.56	\$1,249.89	.0	ND
474366	474366	PS52	24	3	MLMSPCS	18.9	1.7	55.9	0	0	0	0	0	0	0	MLP5S.20	561	PS50	474366	0.0	837	468	\$2,625.48	\$875.16	.0	ND
474368	474368	PS52	24	15	AAAM	20.1	0.5	66.4	99	14	17	7	56	37	71	MF5S.M	2822	PS50	474368	0.0	1,313	872	\$24,607.84	\$1,640.52	.0	ND
474369	474369	PS52	24	10	AAAM	18.7	0.5	67.3	106	18	27	33	59	8	75	MF5S.M	1897	PS50	474369	0.0	1,432	964	\$18,287.08	\$1,828.71	.0	ND
474370	474370	PS52	24	9	AAAM	20.6	0.4	68.6	112	16	39	2	85	13	82	MF5S.M	1697	PS50	474370	0.0	1,341	920	\$15,612.40	\$1,734.71	.0	ND
474371	474371	PS52	24	2	AAAM	19.5	1.3	63.9	100	13	29	42	54	4	76	MF5S.M	262	PS50	474371	0.0	1,399	894	\$2,342.28	\$1,171.14	.0	ND
474373	474373	PS52	24	10	AAAM	20.2	0.6	67.4	105	13	26	71	22	7	84	MF5S.M	1952	PS50	474373	0.0	1,377	928	\$18,114.56	\$1,811.46	.0	ND
474374	474374	PS52	24	8	AAAM	21.7	0.3	66.9	94	13	36	13	36	51	84	MF5S.M	1577	PS50	474374	0.0	1,372	918	\$14,476.86	\$1,809.61	.0	ND
474375	474375	PS52	24	11	AAAM	21.1	0.7	69.0	100	20	30	47	47	6	80	MF5S.M	2128	PS50	474375	0.0	1,378	951	\$20,237.28	\$1,839.75	.0	ND
474376	474376	PS52	24	3	AAAM	22.3	0.7	67.7	101	14	32	53	37	10	84	MF5S.M	475	PS50	474376	0.0	1,340	907	\$4,308.25	\$1,436.08	.0	ND
474377	474377	PS52	24	5	AAAMLMS	19.1	1.0	61.3	0	0	0	0	0	0	0	MLF5S.30	952	PS50	474377	0.0	1,011	620	\$5,902.40	\$1,180.48	.0	ND
474378	474378	PS52	24	11	MPCS	19.2	2.4	58.2	92	25	29	57	41	2	70	MP5S.	2147	PS50	474378	0.0	1,287	749	\$16,081.03	\$1,461.91	.0	ND
474379	474379	PS52	24	6	MBLS	20.3	3.4	53.6	0	0	0	0	0	0	0	MB5S.	1114	PS50	474379	0.0	1,103	591	\$6,583.74	\$1,097.29	.0	ND
474380	474380	PS52	24	6	MSTNLKS	20.4	2.4	47.9	0	0	0	0	0	0	0	MZ5S.S1	1170	PS50	474380	0.0	514	246	\$2,878.20	\$479.70	.0	ND
474381	474381	PS52	24	9	AAAM	19.6	0.8	67.6	108	15	20	86	11	3	83	MF5S.	1712	PS50	474381	0.0	1,370	926	\$15,853.12	\$1,761.46	.0	ND
474382	474382	PS52	24	12	AAAM	21.4	0.5	70.9	110	11	37	55	43	2	90	MF5S.	2218	PS50	474382	0.0	1,362	966	\$21,425.88	\$1,785.49	.0	ND
474383	474383	PS52	24	6	AAAM	19.8	0.4	69.2	60	14	52	82	16	2	74	MF5S.	1113	PS50	474383	0.0	1,345	931	\$10,362.03	\$1,727.01	.0	ND
474384	474384	PS52	24	13	AAAM	19.3	0.9	67.6	103	17	21	83	14	3	78	MF5S.	2493	PS50	474384	0.0	1,401	947	\$23,608.71	\$1,816.05	.0	ND
474385	474385	PS52	24	8	AAAM	21.4	0.5	70.7	109	14	27	40	51	9	83	MF5S.	1479	PS50	474385	0.0	1,331	941	\$13,917.39	\$1,739.67	.0	ND
474386	474386	PS52	24	3	MWPCS	19.3	1.0	61.2	50	15	0	0	0	0	0	MLP5S.	564	PS50	474386	0.0	1,090	667	\$3,761.88	\$1,253.96	.0	ND
Total/Avg				426		19.9	1.3	64.5	76.44	12.52	22.28						78,657				1,243.5	821.6	\$ 646,268.61	\$ 1,551.07		