



Trading Name: MIRIPIN FARM TRUST

Brand: MIRIPIN

Client: MIRIPIN FARM TRUST

Client Code: MIRIP

Ph: 9823 1550

M: 0428 231 550

Email: miripin@wn.com.au,nmoulden@dysonjones.com.au

Dyson Rep: KTCM

Pre Sale Report

Farm Lot in Sale

																		Previous Passed			Appraisal					
Ref	Lot	Sale	Season	Bales	Description	MIC	VM	SDY	LEN	CVL	NKT	T	M	B	HT	AWEXID	GSY Kgs	Sale	Lot	Price	CLN Price	GSY Price	Procs \$	\$/Bale	Res	Mulesing
D11553	D11553	PS00	24	1	BLK	.0	0.0	0.0	0	0	0	0	0	0	0		32				0	0	\$0.00	\$0.00	.0	ND
D11554	D11554	PS00	24	1	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		37				0	0	\$0.00	\$0.00	.0	ND
D11555	D11555	PS00	24	1	STNMCRT	.0	0.0	0.0	0	0	0	0	0	0	0		25				0	0	\$0.00	\$0.00	.0	ND
D11556	D11556	PS00	24	1	AAAMWNS	.0	0.0	0.0	0	0	0	0	0	0	0		60				0	0	\$0.00	\$0.00	.0	ND
D11557	D11557	PS00	24	1	AAAFXLMS	.0	0.0	0.0	0	0	0	0	0	0	0		47				0	0	\$0.00	\$0.00	.0	ND
D11558	D11558	PS00	24	1	AAADN	.0	0.0	0.0	0	0	0	0	0	0	0		145				0	0	\$0.00	\$0.00	.0	ND
D11559	D11559	PS00	24	1	DAG	.0	0.0	0.0	0	0	0	0	0	0	0		34				0	0	\$0.00	\$0.00	.0	ND
D11560	D11560	PS00	24	1	AAAM	.0	0.0	0.0	0	0	0	0	0	0	0		47				0	0	\$0.00	\$0.00	.0	ND
D11561	D11561	PS00	24	1	DERMO	.0	0.0	0.0	0	0	0	0	0	0	0		17				0	0	\$0.00	\$0.00	.0	ND
D11562	D11562	PS00	24	1	MLKS	.0	0.0	0.0	0	0	0	0	0	0	0		40				0	0	\$0.00	\$0.00	.0	ND
D11563	D11563	PS00	24	2	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		102				0	0	\$0.00	\$0.00	.0	ND
D11564	D11564	PS00	24	1	AAAFXLMS	.0	0.0	0.0	0	0	0	0	0	0	0		22				0	0	\$0.00	\$0.00	.0	ND
D11565	D11565	PS00	24	1	SKN	.0	0.0	0.0	0	0	0	0	0	0	0		15				0	0	\$0.00	\$0.00	.0	ND
D11566	D11566	PS00	24	1	STNMPCS	.0	0.0	0.0	0	0	0	0	0	0	0		101				0	0	\$0.00	\$0.00	.0	ND
D11567	D11567	PS00	24	1	FXLPCS	.0	0.0	0.0	0	0	0	0	0	0	0		12				0	0	\$0.00	\$0.00	.0	ND
D11568	D11568	PS00	24	1	MPCS	.0	0.0	0.0	0	0	0	0	0	0	0		37				0	0	\$0.00	\$0.00	.0	ND
18704	18704	PS15	24	11	AAAM	18.1	1.4	65.9	77	14	49	17	48	35	74		2136	PS14	18704	0.0	0	0	\$0.00	\$0.00	.0	ND
18705	18705	PS15	24	4	AAAM	17.8	1.4	63.9	73	15	46	33	48	19	70		767	PS14	18705	0.0	0	0	\$0.00	\$0.00	.0	AA
18706	18706	PS15	24	1	AAAM	18.1	1.0	63.1	58	15	41	5	39	56	63		165	PS14	18706	0.0	0	0	\$0.00	\$0.00	.0	AA
18708	18708	PS15	24	3	AAAM	18.3	1.6	63.6	82	15	47	31	36	33	77		553	PS14	18708	0.0	0	0	\$0.00	\$0.00	.0	AA
18709	18709	PS15	24	4	MPCS	17.5	4.9	50.3	61	20	36	20	57	23	56		761	PS14	18709	0.0	0	0	\$0.00	\$0.00	.0	AA
18710	18710	PS15	24	4	MBLS	18.3	5.7	52.7	0	0	0	0	0	0	0		676	PS14	18710	0.0	0	0	\$0.00	\$0.00	.0	AA
18711	18711	PS15	24	3	MLKS	17.8	6.3	52.1	0	0	0	0	0	0	0		503	PS14	18711	0.0	0	0	\$0.00	\$0.00	.0	AA
23168	23168	PS15	24	10	AAAMWNS	16.9	2.1	56.6	71	14	37	7	86	7	58		1907	PS14	23168	0.0	0	0	\$0.00	\$0.00	.0	NM
23169	23169	PS15	24	11	AAAWNS	16.6	1.7	61.1	75	15	31	7	83	10	57		2093	PS14	23169	0.0	0	0	\$0.00	\$0.00	.0	NM
23170	23170	PS15	24	5	AAAMLMS	15.7	1.7	57.6	0	0	0	0	0	0	0		971	PS14	23170	0.0	0	0	\$0.00	\$0.00	.0	NM
23172	23172	PS15	24	2	MWPCS	15.7	3.4	50.4	0	0	0	0	0	0	0		386	PS14	23172	0.0	0	0	\$0.00	\$0.00	.0	NM
23173	23173	PS15	24	2	MWBLS	16.6	6.6	48.3	0	0	0	0	0	0	0		380	PS14	23173	0.0	0	0	\$0.00	\$0.00	.0	NM
23174	23174	PS15	24	4	AAAMWNS	16.5	4.6	60.4	70	13	32	0	84	16	55		775	PS14	23174	0.0	0	0	\$0.00	\$0.00	.0	NM
23175	23175	PS15	24	2	MWCOT	16.5	14.1	51.5	0	0	0	0	0	0	0		365	PS14	23175	0.0	0	0	\$0.00	\$0.00	.0	NM
23178	23178	PS15	24	10	AAAM	18.6	2.3	59.7	91	14	38	12	29	59	78		1928	PS14	23178	0.0	0	0	\$0.00	\$0.00	.0	NM
23182	23182	PS15	24	10	AAAM	18.4	2.1	59.4	95	16	35	2	22	76	79		1936	PS14	23182	0.0	0	0	\$0.00	\$0.00	.0	NM
23184	23184	PS15	24	10	AAAM	18.9	1.5	61.0	94	17	32	5	9	86	81		1952	PS14	23184	0.0	0	0	\$0.00	\$0.00	.0	NM
23185	23185	PS15	24	5	AAAM	18.9	1.2	62.5	86	15	37	21	59	20	72		965	PS14	23185	0.0	0	0	\$0.00	\$0.00	.0	NM
23187	23187	PS15	24	10	AAAM	19.8	1.0	59.2	91	13	36	5	66	29	76		1964	PS14	23187	0.0	0	0	\$0.00	\$0.00	.0	NM
23188	23188	PS15	24	8	AAAM	19.4	1.3	58.0	87	17	26	18	49	33	70		1447	PS14	23188	0.0	0	0	\$0.00	\$0.00	.0	NM
23189	23189	PS15	24	5	AAAM	18.4	1.9	58.7	91	13	40	3	22	75	80		906	PS14	23189	0.0	0	0	\$0.00	\$0.00	.0	NM
23190	23190	PS15	24	5	MCOT	17.8	8.2	56.1	91	20	29	25	32	43	69		967	PS14	23190	0.0	0	0	\$0.00	\$0.00	.0	NM
23191	23191	PS15	24	6	MBLS	18.2	8.1	48.0	0	0	0	0	0	0	0		1052	PS14	23191	0.0	0	0	\$0.00	\$0.00	.0	NM
23192	23192	PS15	24	7	MPCS	17.3	5.8	48.6	81	21	29	6	55	39	61		1279	PS14	23192	0.0	0	0	\$0.00	\$0.00	.0	NM
23193	23193	PS15	24	6	MLKS	17.1	6.7	45.2	0	0	0	0	0	0	0		1166	PS14	23193	0.0	0	0	\$0.00	\$0.00	.0	NM
23196	23196	PS15	24	10	AAAM	18.4	2.1	62.2	95	16	38	5	22	73	80		1949	PS14	23196	0.0	0	0	\$0.00	\$0.00	.0	NM
W23168	23585	PS15	24	5	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		93	PS14	23585	0.0	0	0	\$0.00	\$0.00	.0	NM
W23185	23587	PS15	24	2	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		36	PS14	23587	0.0	0	0	\$0.00	\$0.00	.0	NM
W23196	23588	PS15	24	1	WT ADJ	.0	0.0	0.0	0	0	0	0	0	0	0		21	PS14	23588	0.0	0	0	\$0.00	\$0.00	.0	NM
474126	474126	PS15	24	12	AAAMWNS	17.3	2.5	62.0	84	18	36	23	69	8	66		2352	PS14	474126	0.0	0	0	\$0.00	\$0.00	.0	NM
474127	474127	PS15	24	3	AAAMWNS	16.2	2.7	59.8	68	17	34	5	77	18	55		564	PS14	474127	0.0	0	0	\$0.00	\$0.00	.0	ND

474128	474128	PS15	24	12	AAAMWNS	16.4	1.5	63.9	78	17	27	5	78	17	58		2327	PS14	474128	0.0	0	0	\$0.00	\$0.00	.0	AA
474129	474129	PS15	24	10	AAAMWNS	17.4	3.0	61.8	84	12	37	15	51	34	70		1922	PS14	474129	0.0	0	0	\$0.00	\$0.00	.0	NM
474130	474130	PS15	24	2	AAAM	15.7	2.3	59.5	65	15	35	4	68	28	55		276	PS14	474130	0.0	0	0	\$0.00	\$0.00	.0	NM
474131	474131	PS15	24	2	AAAMWNS	16.8	2.4	57.8	79	17	26	5	74	21	58		338	PS14	474131	0.0	0	0	\$0.00	\$0.00	.0	NM
474132	474132	PS15	24	5	MWPCS	16.1	6.3	48.6	66	17	30	25	64	11	52		791	PS14	474132	0.0	0	0	\$0.00	\$0.00	.0	ND
474133	474133	PS15	24	4	MWBLS	16.7	8.1	53.8	0	0	0	0	0	0	0		704	PS14	474133	0.0	0	0	\$0.00	\$0.00	.0	ND
474150	474150	PS15	24	2	STNMPCS	18.9	4.1	52.0	0	0	0	0	0	0	0		332	PS14	474150	0.0	0	0	\$0.00	\$0.00	.0	ND
474151	474151	PS15	24	9	MLKS	17.6	4.7	49.4	0	0	0	0	0	0	0		1727	PS14	474151	0.0	0	0	\$0.00	\$0.00	.0	ND
474153	474153	PS15	24	4	MPCS	17.5	3.9	49.9	75	26	25	21	43	36	59		744	PS14	474153	0.0	0	0	\$0.00	\$0.00	.0	ND
474154	474154	PS15	24	3	MBLS	18.5	3.8	52.0	0	0	0	0	0	0	0		580	PS14	474154	0.0	0	0	\$0.00	\$0.00	.0	ND
474160	474160	PS15	24	5	AAAMWNS	16.6	3.0	61.6	76	20	32	11	63	26	60		974	PS14	474160	0.0	0	0	\$0.00	\$0.00	.0	AA
Total/Avg				256		17.3	3.1	56.7	64.35	12.52	27.26						44,503				0.0	0.0	\$ 0.00	\$ 0.00		